

March 08, 2010

**GOLDCLIFF'S DRILLING EXTENDS NORDIC ZONE  
25.62 Metres Grading 1.54 Grams per Tonne Gold**

(Vancouver, B.C.) George W. Sanders, President of Goldcliff Resource Corporation (GCN.TSXV), is pleased to report that the Nordic Zone drill results contain multiple gold intercepts in multiple drill holes. The drilling has significantly increased the area of disseminated gold mineralization on the Nordic zone. The Nordic Zone is one of four gold zones on the Company's 100 per cent-owned Panorama Ridge gold project located near Hedley, British Columbia, Canada. Highlights of the gold intercepts include 25.62 metres grading 1.54 grams per tonne gold and 15.11 metres grading 1.20 g/t grams per tonne.

The drilling has extended and expanded the Nordic gold mineralized zone over an area of 70 metres by 250 metres. The Nordic zone now measures 250 meters along a trend from north east to south west, and remains open in both directions. This drilling has also provided valuable information regarding the geometry of gold mineralization at the Nordic zone, particularly with respect to faults, dykes, boundaries and trend of mineralization.

The multiple gold intercepts occur throughout the core from the 37 holes of Nordic drilling. A total of 21 holes in the zone returned values ranging from 0.41 g/t gold to 1.54 g/t gold over core lengths ranging from 4.19 metres to 73.77 metres. Six of these holes contained individual one metre intervals exceeding 5.00 g/t gold, including one metre of 12.80 g/t gold. These results further establish the continuity of near-surface disseminated gold mineralization.

Thirty seven drill holes, totalling 2638 metres, were drilled from three set-ups. The holes were completed in a fan pattern at various angles and drill stem azimuths. The purpose of this drilling was to establish both fill-in and step-out gold mineralization. All the holes drilled along the trend of the Nordic zone returned significant intersections of the Gold Mineralized Zone (GMZ), with most containing strong disseminated gold mineralization. Some holes drilled to the north-north west returned little or no significant gold values, thereby establishing that the Nordic zone is bounded in that direction. Similarly, a few holes drilled further south of the south east limits of the Nordic zone returned limited or no significant gold values, thus indicating that the zone is bounded in that direction as well.

From set-up F, eleven holes were drilled. This set-up is at the northwest edge of the Nordic zone. From here, holes were drilled further north, north west and north east, as well as back into the zone.

**Hole 28-153**

Total hole	from 3.31 to 75.29 metres	71.98 metres	0.15
GMZ	from 3.31 to 52.29 metres	48.98 metres	0.20
Including	from 13.31 to 19.16 metres	5.85 metres	0.97

**Hole 28-155**

Total hole	from 3.05 to 75.29 metres	72.24 metres	0.16
GMZ	from 7.18 to 41.95 metres	34.77 metres	0.20

**Hole 28-156**

Total hole	from 3.05 to 75.29 metres	72.24 metres	0.13
GMZ	from 9.78 to 45.57 metres	35.79 metres	0.20

**Hole 28-157**

Total hole	from 3.05 to 75.29 metres	72.24 metres	0.16
GMZ	from 3.05 to 44.43 metres	41.38 metres	0.20
Including	from 3.05 to 19.56 metres	16.51 metres	0.43

**Hole 28-158**

Total hole	from 3.05 to 75.29 metres	72.24 metres	0.18
GMZ	from 7.28 to 72.04 metres	64.76 metres	0.20
Including	from 29.28 to 36.89 metres	7.61 metres	0.42

**Hole 28-159**

Total hole	from 3.05 to 60.05 metres	57.00 metres	0.19
GMZ	from 3.05 to 49.59 metres	46.54 metres	0.21
Including	from 19.29 to 23.48 metres	4.19 metres	0.57

Hole 28-162			
Total hole	from 3.05 to 50.90 metres	47.85 metres	0.28
GMZ	from 3.05 to 50.90 metres	47.85 metres	0.28
Including	from 8.41 to 13.41 metres	5.00 metres	1.00

Holes 28-152, 28-154, 28-160 and 28-161 returned no significant values.

Along the trend of the Nordic zone, 15 holes were drilled from set-up G. Strong gold mineralization was encountered as follows.

Hole 28-118			
Total hole	from 3.66 to 74.98 metres	71.32 metres	0.18
GMZ	from 3.66 to 67.08 metres	63.42 metres	0.20
Including	from 3.66 to 27.54 metres	23.98 metres	0.52

Hole 28-119			
Total hole	from 3.66 to 75.29 metres	71.63 metres	0.25
GMZ	from 3.66 to 75.29 metres	71.63 metres	0.25
Including	from 3.66 to 17.38 metres	13.72 metres	0.97

Hole 28-120			
Total hole	from 3.31 to 74.98 metres	71.67 metres	0.19
GMZ	from 3.31 to 64.50 metres	61.19 metres	0.2
Including	from 3.31 to 13.84 metres	10.53 metres	0.50

Hole 28-121			
Total hole	from 1.65 to 75.29 metres	73.64 metres	0.72
GMZ	from 1.65 to 75.29 metres	73.64 metres	0.72
Including	from 1.65 to 9.66 metres	8.01 metres	0.94
Including	from 41.22 to 66.84 metres	25.62 metres	1.54

Hole 28-122			
Total hole	from 1.52 to 74.98 metres	73.46 metres	0.67
GMZ	from 1.52 to 74.98 metres	73.46 metres	0.67
Including	from 1.52 to 45.29 metres	43.77 metres	1.01

Hole 28-123			
Total hole	from 1.52 to 75.29 metres	73.77 metres	0.41
GMZ	from 1.52 to 75.29 metres	73.77 metres	0.41
Including	from 1.52 to 13.71 metres	12.19 metres	0.80
Including	from 60.18 to 75.29 metres	15.11 metres	1.20

Hole 28-124			
Total hole	from 1.52 to 74.98 metres	73.46 metres	0.50
GMZ	from 1.52 to 74.98 metres	73.46 metres	0.50
Including	from 1.52 to 33.58 metres	32.06 metres	1.04

Hole 28-125			
Total hole	from 1.52 to 75.29 metres	73.77 metres	0.19
GMZ	from 1.52 to 64.51 metres	62.99 metres	0.20
Including	from 1.52 to 10.55 metres	9.03 metres	0.90

Hole 28-126			
Total hole	from 1.69 to 65.84 metres	64.15 metres	0.43
GMZ	from 1.69 to 65.84 metres	64.15 metres	0.43
Including	from 1.69 to 23.64 metres	21.95 metres	1.10

Hole 28-127			
Total hole	from 1.52 to 75.29 metres	73.77 metres	0.29
GMZ	from 1.52 to 75.29 metres	73.77 metres	0.29
Including	from 1.52 to 16.46 metres	14.94 metres	1.05

Hole 28-128			
Total hole	from 1.52 to 74.98 metres	73.46 metres	0.51
GMZ	from 1.52 to 74.98 metres	73.46 metres	0.51
Including	from 1.52 to 33.59 metres	32.07 metres	1.02

Hole 28-129			
Total hole	from 1.68 to 75.29 metres	73.61 metres	0.50
GMZ	from 1.68 to 75.29 metres	73.61 metres	0.50
Including	from 1.68 to 34.57 metres	32.89 metres	1.00

Hole 28-130			
Total hole	from 1.83 to 50.60 metres	48.77 metres	0.65
GMZ	from 1.83 to 50.60 metres	48.77 metres	0.65
Including	from 1.83 to 30.76 metres	28.93 metres	1.02

Hole 28-132			
Total hole	from 2.38 to 21.34 metres	18.96 metres	0.55
GMZ	from 2.38 to 21.34 metres	18.96 metres	0.55

From set-up H, a further 11 holes were drilled approximately 55 metres south-south west of set-up G. Holes 28-137, 28-139 and 28-143 were drilled to the south and/or below the limits of the zone and returned no significant values. Holes 28-134 and 28-135 were drilled below the northern limit of the zone and also returned no significant values. Holes drilled into the zone continued to return strong gold values.

Hole 28-133			
Total hole	from 3.04 to 87.48 metres	84.44 metres	0.19
GMZ	from 3.04 to 74.68 metres	71.64 metres	0.20
Including	from 26.73 to 40.08 metres	13.35 metres	0.62

Hole 28-136			
Total hole	from 1.52 to 74.98 metres	73.46 metres	0.45
GMZ	from 1.52 to 74.98 metres	73.46 metres	0.45
Including	from 26.51 to 52.26 metres	25.75 metres	1.12

Hole 28-138			
Total hole	from 1.52 to 74.98 metres	73.46 metres	0.36
GMZ	from 1.52 to 74.98 metres	73.46 metres	0.36
Including	from 19.33 to 38.55 metres	19.22 metres	1.02

The Panorama Ridge property is located four kilometres east of the historic Nickel Plate-Mascot mine that has produced 2.5 million ounces of gold. The gold mineralization on the Panorama Ridge gold property is related to the pervasive silica-iron alteration (skarn replacement) of the Upper Triassic Nicola Group sedimentary and volcanic rocks. The property was staked in 2000 after Goldcliff prospected new logging road outcrops that exposed skarn alteration. The property has mine-related infrastructure and is readily accessed by roads. Goldcliff has discovered several gold showings and four potentially economic gold zones.

Leonard W. Saleken, PGeo (geologist), is the qualified person as defined by National Instrument 43-101 who supervised the preparation and verification of the technical information in this release.

For further information, please contact George W. Sanders, President, at 250-764-8879, toll free at 1-866-769-4802 or email at [sanders@goldcliff.com](mailto:sanders@goldcliff.com).

GOLDCLIFF RESOURCE CORPORATION

Per: **“George W. Sanders”**

George W. Sanders  
President, Director

*Neither TSX Venture Exchange nor its Regulation Service Provider (as that term is defined in the policies of the TSX Venture Exchange) accept responsibility for the adequacy or the accuracy of this news release, gcnnews20104*